

0360



PATENT
Customer No. 22,852
Attorney Docket No. 06530.0285-00000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Michael S. H. Chu) Group Art Unit: 3731
Serial No.: 10/000,325) Examiner: Unassigned
Filed: December 4, 2001)
For: **ENDOSCOPIC APPARATUS AND**)
METHOD)

Commissioner for Patents and Trademarks
Washington, DC 20231

Sir:

**RESPONSE TO NOTICE TO FILE
CORRECTED PAPERS**


In response to the communication of December 26, 2001, Applicant submits corrected drawing sheets for filing in this application.

Please associate the enclosed drawings with the application, grant any extensions of time required to enter this response, and charge any additional required fees to our deposit account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Dated: January 17, 2002

By: 
Leslie I. Bookoff, Esq.
Reg. No. 38,084

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

1000325.011702



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20590
WWW.USPTO.GOV

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/000,325	12/04/2001	Michael S.H. Chu	06530.0285-00

CONFIRMATION NO. 9761

FORMALITIES LETTER



OC000000007230321

Leslie I. Bookoff, Esq.
Finnegan, Henderson, Farabow,
Garrett & Dunner, L.L.P.
1300 I Street, N.W.
Washington, DC 20005-3315

Date Mailed: 12/26/2001



NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Teeluo

Customer Service Center
Initial Patent Examination Division (703) 308-1202
PART 2 - COPY TO BE RETURNED WITH RESPONSE